

Simply. More. Vision The new generation video rhino laryngoscope



Videoscopes

Germany

Plug & Play: All you need

Efficient Diagnostics. Made in Germany.

Video Rhino Laryngoscope





The latest design in Video-Endoscopy is the Video-Rhino-Laryngo-scope by orlvision. It has been designed for endoscopy and image capturing especially for ENT doctors. Users all over the world confirm that the interplay between optics, illumination and camera electronics provides extremely clear images.



Simply. Quickly. Seeing.

... with a new, innovative video technology for efficient medical diagnostics.

The smart Video Rhino Laryngoscope...

All you need



Step 1



connectable to any light source with various adapters...

Step 2




... simply plug and play



As day-to-day processes need to be effective and economic, analysis with cost-effective video technology, which provides live imaging on a monitor, enables a more comfortable consultation between doctor and patient.

Step 3



One click - ready...

Step 4



... for connecting to video monitors

Step 5



... or connecting via media grabber

Step 6



... to PC with High Speed USB

Easy to use...

...with the functional and ergonomic design.

...simply to integrate and easy to handle.

Step 7



plug in to your available light source

Step 8



one click and white balance is ready

Step 9



easy to operate

Step 10



ready to capture



With realistic colour capability the high-tech image sensor provides a natural colour image quality for precise diagnosis. orlyision provides highly innovative products, developed and produced in Germany.

simply. more. vision.





chip on the tip with precise optics





Technical Data

model

Diameter

working lengti

Tip Articulation

FOV

Video

Resolution

Illumination

Protection class (environmental infuences

Protection class (electric shock

Risk class (German Medical Devices Act

RS1

.9 mm

310 mm

130 /

90°

PAL / NTSC

291.000 pixel (PAL

fiber optic

ibei optic

class II

- 1

RX1

a mm

310 mm

130°/130°

90°

NTSC

76.800 pix

fiber optic

IP68

class II

1

CE



orlvision GmbH

Gewerbestrasse 17 D-35633 Lahnau

Tel. +49 (0) 64 41 67 92 98-0 Fax +49 (0) 64 41 67 92 98-99

info@orlvision.de www.orlvision.de